

From: jflee@oxfordeands.com
To: kdbecher@usgs.gov
Cc: jean.mescher@mckesson.com; Shawn_Ghose/R6/USEPA/US@EPA
Subject: RE: Split sample for New Cricket Spring, Arkwood
Date: 01/09/2012 03:50 PM

Ken,

I have not yet scheduled the monthly sampling for the Arkwood site for January. Typically, I would sample the site within the next week to ten days. Due to schedule, I will not be sampling this week but would like to tentatively schedule the sampling event for next week Monday or Tuesday (January 16 or 17, 2012). Please let me know if you are planning on splitting the monthly samples in January.

Best Regards,

Jim

James E. Fleer
Principal Engineer
Oxford Environmental and Safety, Inc.
913-706-3422
jflee@oxfordeands.com

----- Original Message -----

Subject: Split sample for New Cricket Spring, Arkwood

From: Ghose.Shawn@epamail.epa.gov

Date: Thu, December 08, 2011 4:48 pm

To: jean.mescher@mckesson.com, jflee@oxfordeands.com,
kdbecher@usgs.gov

jean/jay: The split sampling for Arkwood scheduled for December had to be postponed due to not being able to finish the paper work. Kent Becher of USGS will be touch to complete the split sampling in January 2012. Please keep Kent informed on possible sample collection in January.

Kent Becher----- can be reached at Cell 817-253-0356 or USGS 817-263-9545
Ext 204
Thanks
Shawn